Attorney's Docket No. 9250-5CTIP4XX

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Fischer et al.

International Appl. No.: PCT/US01/18611 International Filing Date: 8 June 2001

For: METHOD FOR DETECTING A LIPOPROTEIN-ACUTE PHASE PROTEIN

COMPLEX AND PREDICTING AN INCREASED RISK OF SYSTEM FAILURE

OR MORTALITY

Date: December 19, 2001

BOX PCT Commissioner for Patents Washington, DC 20231

### INFORMATION DISCLOSURE STATEMENT

Sir:

Attached is a list of documents on form PTO-1449 together with a copy of each identified document. It is requested that these documents be considered by the Examiner and officially made of record in accordance with the provisions of 37 C.F.R. § 1.97 and Section 609 of the MPEP. The Commissioner is hereby authorized to charge any additional fee, which may be required, or credit any refund, to our Deposit Account No. 50-0220.

Respectfully submitted

Robert W. Glatz

Registration No. 36,811

**Customer Number:** 

20792

CERTIFICATE OF EXPRESS MAILING

Express Mail Label No.: EV015664094US Date of Deposit: December 19, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box PCT,

Commissioner of Patents, Washington, DC 20231.

Michele P. McMahan Date of Signature: December 19, 2001

FORM PTO-1449 U.S. Department of Patent and Trademark Office

9250-5CTIP4XX

Serial No. To Be

Sheet 1

19087

LIST OF DOCUMENTS CITED BY APPLICANT

(Use several sheets if necessary)

Applicants:

Fischer et al.

Filing Date: Concurrently Herewith

Group Unknown

### U. S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
	1	4,782,014	11/01/88	Serban et al.	435	7	
	2	4,902,630	02/20/90	Bennett et al.	436	546	
_	3	5,003,065	03/26/91	Merritt et al.	540	469	
<del>.</del> .	4	5,221,628	06/22/93	Anderson et al.	436	5074	
1.00	5	5,358,852	10/25/94	Wu	435	7.94	
	6	5,500,345	03/19/96	Soe et al.	435	7.1	
	7	5,593,897	01/14/97	Potempa et al.	436	507	
	8	6,040,147	03/21/00	Ridker et al.	435	7.24	

### FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Translation Yes   No
 9	EP 818 680	01/14/98	EP	G01N	33/546	
 10	JP 04-254760	09/10/92	Japan - Abstract	G01N	33/53	
 11	WO 89/09628	10/19/89	WIPO			
12	WO 91/00872	01/24/91	WIPO	C07K	15/28	
 13	WO 91/05874	05/02/91	WIPO	C12Q	1/00	
 14	WO 93/09438	05/13/93	WIPO	G01N	33/68	
 15	WO 93/24530	12/09/93	WIPO	C07K	15/06	
 16	WO 96/06624	03/07/96	WIPO	A61K	35/16	
 17	WO 97/04317	02/06/97	WIPO	G01N	33/68	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

18	Artherotech, VAP/CAD Lipoprotein Risk Assessment Test and Sample of VAP Profile, http://www.artherotech.com/risk_assessment.html		
19	Cabana, et al., Effects of the acute phase response on the concentration and density distribution of plasma lipids and apolipoproteins, LLipid Res., 30:39-49 (1989).		
20	Cabana, et al., Inflammation-induced changes in rabbit CRP and plasma lipoproteins, LImmunol., 130(4):1736-1742 (April 1983).		

**EXAMINER** \*EXAMINER DATE CONSIDERED

## FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office

Attor 5310 Reo	on ve
9250-5C	ΓΙΡ4XX

LIST OF DC	CUMENTS CITED BY APPLICANT		10/01908
(U:	e several sheets if necessary)	Applicants: Fischer et a	l.
		Filing Date: Concurrently Herewith	Group Unknown
	OTHER DOCUMENTS (Including Autho	r, Title, Date, Pertinent Pages, Etc.)	
21	Cabana, et al., Interaction of very low density Limmunol., 128(5):2342-2348 (May 1982).		- reactive protein,
22	Canivet, et al., Postoperative changes in lipi endocrine mediators, Acta Anaesthesiol. Bel	id profile: their relations with inflam g., <b>40</b> (4):263-268 (1989).	matory markers and
23	Christner and Mortensen, Specificity of the binding interaction between human serum amyloid P-component and immobilized human C-reactive protein, LBiol.Chem., 269(13):9760-9766 (April 1994)		
24	de Beer, et al., Low density lipoprotein and very low density lipoprotein are selectively bound by aggregated C-reactive protein, LExp.Med., 156:230-242 (July 1982).		
25	Dennis et al., <i>Utility of prothrombin time wo</i> Instruction and Submission Form, (Sept. 199	aveform analysis in the routine clinic 99).	al setting, Abstract
26	Downey et al., The robustness and reproduct and batch variation, abstract only.	cibility of APTT waveform analysis i	n relation to reagent
27	Downey et al., Transmittance waveforms - c Int.I.Hematol., 64 Suppl:S160, Abstract #6	adjunctive information from automat 519, (Aug. 1996).	ed coagulometers,
28	Downey, et al., Novel and diagnostically ap blood coagulation in disseminated intravas	pplicable information from optical wo cular coagulation , Br.LHaematol.,	aveform analysis of 98:68-73 (1997).
29	Eitoku et al. et al., Studies on the serum am immunoassay system for the quantitation of Physico.Chem.Biol., 37:19-23 (Feb. 1993).	yloid A (SAA): Part 2 latex agglutin SAA in human serum and its clinica	ation nephelometric l values,
30	Engler, R., [Acute-phase proteins in inflam	mation], C.R. Seances Soc. Biol. Fil.,	<b>189</b> (4):563-578 (1995).
31	Gewurz, et al., C-reactive protein and the a	cute phase response, Adv.Intern.Me	d., <b>27</b> :345-372 (1982).
. 32	Harris et al., Reactivity of serum amyloid P Abstract #614A (1989).	component with C-reactive protein o	and IgM, Clin.Res., 37,
33	Hulman and Fuller, Comparison of fat aggle Clin.Chim.Acta, 165:89-93 (5-29-1987).	utination slide test and latex test for	C- reactive protein,
34	Hulman, et al., Agglutination of intralipid b. 1982).	y sera of acutely ill patients, Lancet	, 2:1426-1427 (Dec.
35	Hulman, G., The pathogenesis of fat emboli	ism, L.Pathol., 176:3-9 (1995).	
36	Husebekk, et al., High-density lipoprotein hamyloidogenic apoproteins are easier to di. 28:653-658 (1988).	has different binding capacity for dif	ferent apoproteins. The , Scand.L.Immunol.,
37	Lagrand, et al., C-reactive protein as a card Circulation, 100:96-102 (July 1999).	diovascular risk factor: more than a	n epiphenomenon?,

# FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office

### LIST OF DOCUMENTS CITED BY APPLICANT

Attorn 9250-5CTIP4XX

To Be
Assigned

10/019087

ai	se several sheets if necessary)		01700
(0	50 50 ( <b>014.</b> 636000 12 1144000—) /	Applicants: Fischer et al.	
		Filing Date: Concurrently Herewith	Group Unknown
	OTHER DOCUMENTS (Including Autho	r, Title, Date, Pertinent Pages, Etc.)	
38	Lindh, et al., Agglutinate formation in serun Med., 13(3):151-154 (March 1985).	n samples mixed with intravenous fat emuls	ions, Crit Care
39	Malle, et al., Serum amyloid A (SAA): an ac 102:131-146 (1993).	ute phase protein and apolipoprotein, Athe	rosclerosis,
40	Maury et al., Clinical usefulness of serum an inflammatory disorders a comparative study Symposium, Lyon, France, 3:Abstract only-	, Marker Proteins in Inflammation Proceed	ents in ings,
41	McCarty, M., Historical perspective on C-re	eactive protein, Ann.N.Y.Acad.Sci., 389:1-	10 (1982).
42	McDonald, et al., A monoclonal antibody sa LImmunol.Methods, 144:149-155 (11-22-19		(SAA) protein,
43	Pepys, et al., C-reactive protein: binding to (1985).	lipids and lipoproteins, Int.Rev.Exp.Pathol.	., <b>27</b> :83-111
44	Preciado-Pratt et al. et al., Serum amyloid A of tumor necrosis factor-alpha by human T-1988).	complexed with extracellular matrix inductions in the large state of the complex states of the complex states in Peptide Science, 5:200.	es the secretion 349-355 (Oct.
45	Richter, et al., The fat emulsion agglutinatio agglutination test for rapid bedside CRP me	on test: a reliable and cost effective alternat casurement, <u>Clin.Chim.Acta</u> , <b>261</b> :141-148 (	ive to the latex May 1997).
46	Robin et al., Prognostic value of waveform of 25(Suppl 1):S63 (1999).	analysis in the intensive care setting, Intens	ive Care Med.,
47	Rowe, et al., Agglutination of intravenous li reactive protein, Clin.Exp.Immunol., 66:241		proteins by C-
48	Rowe, et al., Circulating human C-reactive Clin. Exp. Immunol., 58:237-244 (1984).	protein binds very low density lipoproteins,	
49	Rowe, et al., In vivo turnover studies of C-re-Clin.Exp.Immunol., 58:245-252 (1984).	eactive protein and lipoproteins in the rabb	it,
50	Rowe, et al., Rabbit and rat C-reactive prote LExp.Med., 159:604-616 (Feb. 1984).	eins bind apolipoprotein B-containing lipop	oroteins,
51	Rybarska, J., Konieczny, L., Piekarska, B., Sacute phase serum protein complexes and in Pharmacol., 46(2):221-231 (June 1995).	Stopa, B., and Roterman, I. et al., The detection in the detection in the state of	tion of specific Physiol
52	Sammalkorpi, et al., Lipoproteins and acute between C-reactive protein and serum amyle (1990).		

# EXAMINER \*EXAMINER

### DATE CONSIDERED

7 <sup>th</sup> +	<b>)</b> _		Sheet <u>4</u> o	
FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office		Attorney Docket Number 9250-5CTIP4XX	Serial No. To Be Assigned	
LIST OF DO	OCUMENTS CITED BY APPLICANT	10/	01908	
U)	se several sheets if necessary)			
		Applicants: Fischer et al.		
		Filing Date: Concurrently Herewith	Group Unknown	
	OTHER DOCUMENTS (Including Author	or, Title, Date, Pertinent Pages, Etc.)		
53	Schwalbe, et al., Association of rat C-reactic containing apolipoproteins E and A1, Bioch			
54	Simmons, A. Ethanol-gel solubility test, In: Technical Hematology, 3rd Edition, J.B. Lippincott Company, Philadelphia, PA, pg. 334-335 (1980).			
55	Stewart, et al., Sensitive and rapid measurement of C-reactive protein (CRP) by lipid agglutination, LClin Pathol., 40:585-588 (1987).			
56	Swanson, et al., Human serum amyloid P-co forms of C-reactive protein (CRP), Biochim			
57	Toh and Downey, A previously unrecognize independent characterizes the pre-DIC state Form, Abstract #450426 (1999).	ed mechanism that is calcium-dependent and e, The American Society of Hematology, 19	l thrombin- 99 Submission	
58	Toh and Downey. The machanism underlying	ag the atvinical clot waveform profile of DIC	' is thromhin-	

59

60

61

62

63

64

65

2000).

Abstract Submission Form, (Aug. 1999).

DIC of sepsis, abstract only.

Submission Form, (Aug. 1999).

Rev., pg 18 (Jan. 1998).

1290 (1994).

Haemostasis, Abstract Submission Form, (Aug. 1999)

independent but calcium-dependent, European Haematology Association, Abstract Form (June 2000).

Toh et al., Characterization of the novel calcium-activation, thrombin suppression assay (CaTs) in the

Toh et al., Prospective detection of pre-disseminated intravascular coagulation (DIC) in a sepsis cohort by waveform analysis, XVII Congress International Society for Thrombosis & Haemostasis, Abstract

Toh et al., Waveform analysis of the prothrombin time (PT) assay also shows characteristic changes in disseminated intravascular coagulation, XVII Congress International Society for Thrombosis &

Toh, C.H., Disseminated intravascular coagulation (DIC): Old problem, new hope, Clin.Hemostasis

Wilkins, et al., Rapid automated enzyme immunoassay of serum amyloid A, Clin.Chem., 40(7):1284-

Toh et al., Impending clinical decompensation is characterized by the detection of a novel calciumdependent and thrombin-independent pathway, 5th World Congress on Trauma, Shock, Inflammation and Sepsis -- Pathophysiology, Immune Consequences and Therapy, Abstract Submission Form, (Feb.

Toh et al., APTT Waveform analysis: predicting mortality in the critical care setting using the light transmittance level at 18 seconds, XVII Congress International Society for Thrombosis & Haemostasis,